

RESIDENTIAL COLOR CHART

❖ SIGNATURE® 200

Standard Colors

SILICONIZED
POLYESTER

Polar White is a Straight Polyester.

Estate™ Series & Slimline® Panel

29-GAUGE

* Also available in 26-gauge.
Please inquire for additional color
availability, pricing and lead-times.



COAL BLACK
SR .30 SRI 31



IVY GREEN*★
SR .28 SRI 29



BURNISHED SLATE
SR .28 SRI 29



BURGUNDY
SR .28 SRI 29



RUSTIC RED*
SR .36 SRI 40



KOKO BROWN*★
SR .28 SRI 29



GALLERY BLUE
SR .28 SRI 29



CRIMSON RED†★
SR .38 SRI 42



CHARCOAL GRAY*
SR .28 SRI 29



HAWAIIAN BLUE★
SR .32 SRI 35



BUCKSKIN★
SR .34 SRI 38



DESERT SAND★
SR .42 SRI 48



GRAY*★
SR .46 SRI 53



REGAL WHITE*
SR .52 SRI 61



SADDLE TAN*★
SR .48 SRI 56



LIGHT STONE*★
SR .50 SRI 58



IVORY★
SR .65 SRI 79



POLAR WHITE★
SR .58 SRI 69

5V Crimp 26-GAUGE

- Final color selection should be made from actual color chips.
- For the most current information available, visit our website at www.mbcj.com.
- See product catalog for gauge and color availability.
- Signature® is a registered trademark of NCI Group, Inc.
- A 25-year limited paint warranty available for all colors upon written request except for Crimson Red. (Outside the United States, please inquire.)

† Except Crimson Red, which contains more than 0.06 percent lead, none of the other colors shown are lead-containing paints under 13 CFR 1303. Crimson Red should only be used for applications which comply with federal, state and local regulations for lead-containing paint.



FERN GREEN
SR .28 SRI 29



MARINE GREEN
SR .33 SRI 34



POLAR WHITE★
SR .58 SRI 69

★ Energy Star
Approved Color



Houston, TX 877-713-6224
Adel, GA 888-446-6224
Atlanta, GA 877-512-6224
Atwater, CA 800-829-9324

Dallas, TX 800-653-6224
Indianapolis, IN 800-735-6224
Lubbock, TX 800-758-6224
Memphis, TN 800-206-6224


Oklahoma City, OK 800-597-6224
Omaha, NE 800-458-6224
Phoenix, AZ 888-533-6224
Richmond, VA 800-729-6224

Rome, NY 800-559-6224
Salt Lake City, UT 800-874-2404
San Antonio, TX 800-598-6224

COOL ROOF COLORS


Trim Application

1. VALLEY
2. PEAK
3. RIDGE
4. VENTED RIDGE
5. HIP
6. RAKE
7. HIGH SIDE TRANSITION
8. RAKE TRANSITION



SEE ESTATE SERIES AND 5V CRIMP MANUAL FOR ABOVE DETAILS

“V” Groove Soffit Applications



What is Solar Reflectivity (SR)?

Solar reflectivity or reflectance is the ability of a material to reflect solar energy from its surface back into the atmosphere. The SR value is a number from 0 to 1.0. A value of 0 indicates that the material absorbs all solar energy and a value of 1.0 indicates total reflectance. Energy Star requires an SR value of 0.25 or higher for steep slope (above 2:12) roofing and an SR value of 0.65 or higher for low slope (2:12 or less) roofing. For more information, please go to www.energystar.gov.

What is Solar Reflectance Index (SRI)?

The SRI is used to determine compliance with LEED requirements and is calculated according to ASTM E 1980 using values for reflectance and emissivity. Emissivity is a material's ability to release absorbed energy. To meet LEED requirements, a roofing material must have an SRI of 29 or higher for steep slope (above 2:12) roofing and an SRI value of 78 or higher for low slope (2:12 or less) roofing. For more information, please go to www.usgbc.org.

SIGNATURE® 200 - SILICONIZED POLYESTER

	SR #	SRI #
COAL BLACK	.30	31
IVY GREEN	.28	29
BURNISHED SLATE	.28	29
BURGUNDY	.28	29
RUSTIC RED	.36	40
KOKO BROWN	.28	29
GALLERY BLUE	.28	29
CRIMSON RED	.38	42
CHARCOAL GRAY	.28	29
HAWAIIAN BLUE	.32	35
BUCKSKIN	.34	38
DESERT SAND	.42	48
GRAY	.46	53
REGAL WHITE	.52	61
SADDLE TAN	.48	56
LIGHT STONE	.50	58
IVORY	.65	79
FERN GREEN	.28	29
MARINE GREEN	.33	34
POLAR WHITE	.58	69

